



COLLECTION 2024 / 25

ARVĚS[®]













waterform
RAINDROP FOR BETTER TOMORROW

Colour palette

440U	umber
8011	dark brown
R222	brown
R736	terracotta
7501U	straw yellow
7501U	straw yellow granite
7529U	mocca
874C	old gold
7587U	rustick brick
4C	cool gray
4C	cool gray granite
7541U	granite
429U	smooth gray
429U	smooth gray granite
431UG	granite grit
422U	concrete
S443	gray
7037	steel
7015	light basalt
S433	anthracite
S433	anthracite granite
2260C	sage
G851	forest green
G851	forest green granite
S411	black
B411	black granite
2088U	lavender

Designation

Designations in the tables [pictographs]

	symbol
	length - mm
	width - mm
	height - mm
	diameter - mm
	capacity
	polybag quantity
	carton quantity
	number of pieces on a Europalette
	height pallet - m
	truck quantity



ARVĚS®



Tubo
RWT120

p. 8 - 9



Tubo
RWT210

p. 8 - 9



Tubo
RWT320

p. 8 - 9



Drop
RWD200

p. 10 - 11



Drop
RWD410

p. 10 - 11



Montana
RMT225

p. 10 - 11



Stone Block
RSB270

p. 12 - 13



Stone Block
RSB400

p. 12 - 13



Tower
RWK260

p. 14 - 15



Tower
RWK720

p. 14 - 15



Boxy
RWB270

p. 14 - 15



Boxy
RWB720

p. 14 - 15



Freze
RWW290

p. 16 - 17



Freze
RWW410

p. 16 - 17



Novara
RNV280

p. 16 - 17



Novara
RNV500

p. 16 - 17



Alana
RALA160

p. 18 - 19



Rainbowl
RRA210

p. 18 - 19



Flower
RRAF150

p. 18 - 19



Evergreen
REV475

p. 20 - 21



Evergreen Lite
REL300

p. 20 - 21



Little Tree
RLT250

p. 20 - 21



Norway
RNO230

p. 22 - 23



Rustico
RRU275

p. 22 - 23



Barrique
RBQ250

p. 24 - 25



Burgund
RBU500

p. 24 - 25



Helena
RHEL300

p. 26 - 27



Trentino
RTR275

p. 26 - 27



Jumbo
RJU800

p. 26 - 27



Modena
RMO100

p. 28 - 29



Modena
RMO200

p. 28 - 29



Modena
RMO350

p. 28 - 29



Maurano
RMU300

p. 30 - 31



Arcado
RAR230

p. 30 - 31



Arcado
RAR360

p. 30 - 31



Arcado
RAR460

p. 30 - 31



Concrete
RCO200

p. 32 - 33



Noblesse
RNB275

p. 32 - 33



Barletta
RBA280

p. 32 - 33



Garden post

p. 34 - 35



Accessories

p. 36 - 41



ARVÈS®



waterform

RAINDROP FOR BETTER TOMORROW

	Gubo IDGU320 p. 44 - 45		Tower Brick IDTB350 p. 48 - 49		Aqua Tower IDTC450 p. 50 - 51		Vuelta IDV110S p. 54 - 55		Aquacan ICAN360 p. 58 - 59
	Gubo IDGU700 p. 44 - 45		Tower Stone IDTST350 p. 48 - 49		Aqua Tower IDTC650 p. 50 - 51		Tenso IDT120S p. 54 - 55		Aquacan ICAN440 p. 58 - 59
	Gubo IDGU1000 p. 44 - 45		Tower Stone IDTST500 p. 48 - 49		Aqua Wall IDAW400 p. 50 - 51		Botaqua IDB250 p. 56 - 57		Maze IDMZ 240 p. 60 - 61
	Multitank IMK250 p. 46 - 47		Wall Stone IDWS400 p. 48 - 49		Aquabell IDAB110S p. 54 - 55		Botaqua IDB430 p. 56 - 57		Tube IDM 230 p. 60 - 61
	Multitank IMU250 p. 46 - 47		Aqua Tower IDTC350 p. 50 - 51		Aquabell IDAB200S p. 54 - 55		Aquacan Baby ICAN210 p. 58 - 59		Canyon ION310 p. 62 - 63



Wallycan
IDWA270

p. 62 - 63



Smooth
IDSM200

p. 64 - 65



Garden post

p. 70



Woodcan
IDWQ265

p. 62 - 63



Peruno
IDPE260

p. 66 - 67



Accessories

p. 71 - 85



Raincan
IDRA210

p. 62 - 63



Peruno Set
IDPE260S

p. 66 - 67



Smooth
IDSM160

p. 64 - 65



Modular Basecan
IBAS5S, IBAS6S

p. 68 - 69



Smooth
IDSM210

p. 64 - 65



Basecan
IBAS

p. 70

underground rainwater tank



Unground R-1000
RUT1000

p. 88 - 89



Unground R-Drain 150
RUR150

p. 92



Unground Filter
RUF

p. 93



Unground R-2000
RUT2000

p. 88 - 89



Unground R-Drain 500
RUR500

p. 92



Unground Accessories
RUA11

p. 94 - 95



Unground R-3000
RUT3000

p. p. 88 - 89



Unground R-Drain 1000
RUR1000

p. 92



Unground Pipe R
RUP1000 / 2000

p. 94 - 95



Unground R-5000
RUT5000

p. 90 - 91



Unground Cover
RUC400 / 600

p. 93



Unground R-7000
RUT7000

p. 90 - 91



Unground Extension
RUE400 / 600

p. 93

ARVÈS®

**Product line dedicated
to environmental protection.**

Functional rainwater tanks made of high-quality materials in the most advanced technology, ensuring stiffness, ultra-strength, resistance to low and high temperatures and UV radiation.

The products are designed to fit into both classic and modern garden arrangements.



By producing rainwater tanks, we support environmental protection activities. We use recycled materials and all our products are 100% recyclable.

120 l
CAPACITY
FINEST QUALITY

NEW



Tubo

			
	mm	mm	l
RWT120	470	1050	120
			

210 l
CAPACITY
FINEST QUALITY



Tubo

			
	mm	mm	l
RWT210	570	1325	210
			

320 l
CAPACITY
FINEST QUALITY



Tubo

			
	mm	mm	l
RWT320	670	1550	320
			

- windproof lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the tank contains a planting tray, allowing rainwater tanks to be used without a lid
- high-quality material with an aesthetic groove pattern
- compatible with Waterform accessories.

The product does not include a metal faucet.





ARVĒS®

200 l
CAPACITY
FINEST QUALITY



Drop

	mm	mm	l
RWD200	570	1205	200

- windproof lid
- linkable
- high-quality 3/4" brass connection thread (IG) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- rainwater tank inspired by the shape of a water drop with neutral colors, ideal for modern gardens
- high-quality material with aesthetic groove pattern
- compatible with Waterform accessories.

410 l
CAPACITY
FINEST QUALITY



Drop

	mm	mm	l
RWD410	760	1415	410

225 l
CAPACITY
FINEST QUALITY



Montana

	mm	mm	mm
RMT225	960	400	1360

- natural stone-like form
- unique sculpted detail
- high-quality 3/4" brass connection thread (IG) for the outlet tap
- uvand weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- compatible with WATERFORM accessories



The product does not include a metal faucet.

The beauty
of water



ARVĒS

set contains:
1 x A1, 1 x A2
1 x B1, 1 x B2

set 270 |
CAPACITY
FINEST QUALITY



NEW

4 x connection set

Stone Block

mm	mm	mm		
RSB270	1160	380	760	270
429U	4C			

- original form and shape
- multifunctional and capacious rainwater tank
- modern designp
- modules connect with other sets from the Stone Block series

The product features an original form and shape, designed to blend functionality with aesthetics. It includes a multifunctional and spacious rainwater tank, ideal for efficient water storage and conservation. The modern design not only enhances the visual appeal but also supports practical usability. Additionally, the modules are designed to seamlessly integrate with other sets from the Stone series, facilitating customizable and flexible arrangements to suit diverse garden layouts and styles.

set contains:
1 x A1, 2 x A2
1 x B1, 2 x B2

set 400 |
CAPACITY
FINEST QUALITY



NEW

7 x connection set

Stone Block

mm	mm	mm		
RSB400	1160	380	1140	400
429U	4C			


Accessories recommended

Withdrawal set with hose 3/4" p. 39




not included


38 x 38 x 38 cm



78 x 38 x 38 cm



B2



Illustrative drawing of the assembly of water tank component.



The beauty
of water



ARVĒS®



260 l
CAPACITY
FINEST QUALITY

Tower



- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- large-volume rainwater tanks made of robust plastic with an aesthetic, natural stone look
- the high-quality appearance complements modern architectural trends
- compatible with Waterform accessories.



720 l
CAPACITY
FINEST QUALITY

Tower




270 l
CAPACITY
FINEST QUALITY

Boxy



- windproof lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the tank contains a planting tray, allowing the rainwater tank to be used without a lid
- trendy and functional rainwater tank made from high-quality materials
- compatible with Waterform accessories.



Insert for flowers
under the lid



720 l
CAPACITY
FINEST QUALITY

Boxy



The product does not include a metal faucet.

The beauty
of water



ARVĒS

290 l
CAPACITY
FINEST QUALITY



Freze



- windproof lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- the modern rainwater tanks freze serve as convenient water storage elements in the garden
- made from high-quality, weather-resistant materials
- its simple and elegant form makes it a focal point for your modern garden
- aesthetic groove pattern structure
- compatible with Waterform accessories.

The product does not include a metal faucet.

410 l
CAPACITY
FINEST QUALITY




Freze



280 l
CAPACITY
FINEST QUALITY



Novara




- modern cross-ribbed design
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- uv and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.

500 l
CAPACITY
FINEST QUALITY



Novara



The beauty
of water







ARVĒS

160 l
CAPACITY
FINEST QUALITY



Alana




			
	mm	mm	l
RALA160	545	1160	160
S433	S443	7529U	

- firmly integrated planting chamber
- unique vertical wave design
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

210 l
CAPACITY
FINEST QUALITY



Rainbowl





			
	mm	mm	l
RRA210	600	1100	210
S433	S443	7529U	

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

150 l
CAPACITY
FINEST QUALITY



Rainbowl Flower

			
	mm	mm	l
RAAF150	600	1100	150
S433	S443	7529U	

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.

The beauty
of water




ARVĚS®

475 l
CAPACITY
FINEST QUALITY



Evergreen



- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- child-safe lid
- handcrafted
- the evergreen rainwater tanks are high-quality replicas of oak trunks
- due to their special design, the rainwater tanks integrate perfectly into the natural environment of your garden
- compatible with WATERFORM accessories

300 l
CAPACITY
FINEST QUALITY



Evergreen Lite



- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- child-safe lid
- handcrafted
- the evergreen rainwater tanks are high-quality replicas of oak trunks
- due to their special design, the rainwater tanks integrate perfectly into the natural environment of your garden
- compatible with Waterform accessories

250 l
CAPACITY
FINEST QUALITY



Little Tree



- each tank is unique
- surface handcrafted
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with WATERFORM accessories

The product does not include a metal faucet.

The beauty
of water



WOOD EFFECT FINISH

ARVĚS®

230 l
CAPACITY
FINEST QUALITY



Norway



RNO230 580 420 1370 230

440U

- high-quality brass fittings
- UV and weather resistant
- all drainage openings pre-drilled
- each tank is unique
- expandable
- handcrafted
- linkable
- special stability provided by internal passageways
- genuine wood shingles and nordic spruce were the base materials for the design of this unique rainwater tank
- thanks to its intentionally slim shape and small footprint this rainwater tank fits even in the smallest garden
- compatible with Waterform accessories.

275 l
CAPACITY
FINEST QUALITY



Rustico



RRU275 780 1000 275

440U

- child-safe lid
- suitable for watering cans due to removable lid
- UV and weather resistant
- special feature: handcrafted
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high-quality material, authentic wood pattern
- linkable
- thanks to its rustic wood appearance, the rustico rainwater tank fits particularly well in naturally landscaped gardens
- compatible with Waterform accessories.



The product does not include a metal faucet.

The beauty
of water







WOOD EFFECT FINISH

ARVĚS®

250 l
CAPACITY
FINEST QUALITY



Barrigue

			
	mm	mm	
RBQ250	600	1050	250
440U			

- each tank is unique
- surface handcrafted
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- the Arves rainwater tanks Barrigue is faithfully modeled after an oak rainwater tank
- the fittings are sourced from bavarian beer barrels, giving the rainwater tank a typically rustic appearance
- compatible with Waterform accessories

500 l
CAPACITY
FINEST QUALITY



Burgund

			
	mm	mm	
RBU500	780	1180	500
440U			

- fits a standard watering can up to 10L under the outlet tap (distance to the ground approx. 30 cm)
- suitable for watering cans due to removable lid
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- just like its smaller counterpart, this rainwater tank is modeled after an original oak rainwater tank
- the fittings are sourced from bavarian beer barrels, giving the rainwater tank a typically rustic appearance
- compatible with Waterform accessories



The product does not include a metal faucet.

The beauty
of water™

WOOD EFFECT FINISH

ARVĒS

300 l
CAPACITY
FINEST QUALITY



Helena

	mm	mm	
RHEL300	780	1200	300

R736

- each storage unit is unique
- surface handcrafted
- two different perspectives
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

275 l
CAPACITY
FINEST QUALITY



Trentino

	mm	mm	
RTR275	780	1000	275

R736

S433

- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- UV and weather resistant
- special feature: handcrafted
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high-quality material, aesthetic groove pattern
- linkable
- the terracotta color harmonizes with gardens with, for example, a mediterranean flair
- compatible with Waterform accessories

800 l
CAPACITY
FINEST QUALITY



Jumbo

	mm	mm	mm	
RJU800	800	600	1800	800

B411

431UG

G851

SPECIAL ORDER

7501U

- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- high storage volume with minimal space requirements
- a true space-saving solution for your garden
- the tank is particularly large to easily water larger garden areas
- with its small footprint of 80 x 60 cm, the jumbo rainwater tank with 800 liters is a true space-saving solution for your garden
- compatible with Waterform accessories.

The product does not include a metal faucet.

The beauty
of water






ARVĚS



NEW

Insert

		
	mm	mm
ROKO230	230	165
S429		

- plastic insert
- serves as a sieve and simultaneously a filter
- preventing plant debris from entering

100 l
CAPACITY
FINEST QUALITY

NEW




Modena

				
	mm	mm	mm	l
RMO100	380	380	1000	100
S433		S443		

200 l
CAPACITY
FINEST QUALITY



Modena


				
	mm	mm	mm	l
RMO200	575	575	1022	200
S433		S443		
SPECIAL ORDER				
7529U				

350 l
CAPACITY
FINEST QUALITY

NEW



Modena

				
	mm	mm	mm	l
RMO350	690	690	1215	350
S433		S443		

- upper area can be filled with gravel individually
- with integrated filter basket
- fillable from the top with a classic rain flap or from the side with a rain collector
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding.

The product does not include a metal faucet.


The beauty
of water



ARVĚS®




Maurano



- optionally plantable (planting chamber can be cut out in the lid afterwards)
- child-safe lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.




Arcado




- optionally plantable (planting chamber can be cut out in the lid afterwards)
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality ¾" brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories.



Arcado



Arcado



The product does not include a metal faucet.

The beauty
of water



ARVĚS



Concrete



- high-quality brass fittings
- UV and weather resistant
- all drainage openings pre-drilled
- two different perspectives
- linkable
- the concrete model is a particularly trendy rainwater tank for those who like to keep up with the times
- unobtrusive, elegant, and unique, the concrete rainwater tank fits perfectly into modernly designed gardens
- both sides of the rainwater tank have been intricately designed differently. decide which of the two sides you prefer and which you want to position outward
- compatible with Waterform accessories



Noblesse



- optionally plantable
- child-safe lid
- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) for the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories



Barletta



- linkable
- high-quality $\frac{3}{4}$ " brass connection thread (ig) f or the outlet tap
- fits a standard watering can up to 10 l under the outlet tap (distance to the ground approx. 30 cm)
- UV and weather resistant
- outlet opening for complete drainage before the frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- compatible with Waterform accessories

The product does not include a metal faucet.

The beauty
of water



ARVĒS®

Water supply point with a tap allows the user to draw water in the garden easily and conveniently.

				
<h3>Freze</h3> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  RTWF </div> <div style="text-align: center;">  530 </div> <div style="text-align: center;">  374 </div> <div style="text-align: center;">  1025 </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">431UG</div> </div> <p>FINEST QUALITY</p>	<h3>Natura</h3> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  RTWN </div> <div style="text-align: center;">  240 </div> <div style="text-align: center;">  240 </div> <div style="text-align: center;">  980 </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">S433</div> <div style="border: 1px solid black; padding: 2px;">4C</div> </div> <p>FINEST QUALITY</p>	<h3>Poller</h3> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  RTWP </div> <div style="text-align: center;">  240 </div> <div style="text-align: center;">  240 </div> <div style="text-align: center;">  900 </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">S433</div> <div style="border: 1px solid black; padding: 2px;">4C</div> </div> <p>FINEST QUALITY</p>	<h3>Romana</h3> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  RTWR </div> <div style="text-align: center;">  260 </div> <div style="text-align: center;">  260 </div> <div style="text-align: center;">  1100 </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">S433</div> <div style="border: 1px solid black; padding: 2px;">4C</div> </div> <p>FINEST QUALITY</p>	<h3>Forest</h3> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  RTWO </div> <div style="text-align: center;">  200 </div> <div style="text-align: center;">  260 </div> <div style="text-align: center;">  1000 </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">440U</div> </div> <p>FINEST QUALITY</p>

The beauty
of water



ARVĚS

Accessories for Rainwater Tank Collection



Chrom Tap 3/4"

	← mm	↙ mm	↑ mm
RTAP1	140	-	230



Threaded tap for decorative tanks
Intended exclusively for rainwater.



Brass Tap 3/4"

	← mm	↙ mm	↑ mm
RTAP1	140	-	230



Threaded tap for decorative tanks
Intended exclusively for rainwater.



Closed tank connection Kit

	← mm	↙ mm	↑ mm
RCANS1	235	-	280



A kit designed for installing a rainwater collector connection in enclosed tanks that are inaccessible from the interior.



Overflow elbow 3/4"

	← mm	↙ mm	↑ mm
RCANS2	140	-	230



A kit utilized for the installation of an overflow connector in rainwater tanks to facilitate the transfer of excess water to another tank.

The beauty of water™



Hose adapter 3/4"

	mm	mm	mm
RCANS3	140	-	230
7015			


A kit used for installing a 3/4" connector onto a 25mm diameter pipe in rainwater tanks.



Hose adapter 1"

	mm	mm	mm
RCANS4	140	-	230
7015			

A kit utilized for installing a 1" threaded connector onto a 32mm diameter pipe in rainwater tanks.



Hose valve 1"

	mm	mm	mm
RCANS5	140	-	230
7015			

Threaded valve - Designed for rainwater collectors without the need for gutter disassembly.



Filter with valve

	mm	mm	mm
RCANS6	140	-	230
7015			

A valve fitted with a mesh filter, engineered to remove impurities within an internal basket.




Accessories for Rainwater Tank Collection



Connection Kit 1"

	← mm	↘ mm	↑ mm
RCANS7	235	-	435
7015			

A kit designed for connecting a rainwater tank to a 1" threaded gutter system. It can also be used for interconnecting two rainwater tanks.



Connection Kit 3/4"

	← mm	↘ mm	↑ mm
RCANS8	235	-	435
7015			

A kit specifically designed for linking two rainwater tanks together.



Easy Fix

	← mm	↘ mm	↑ mm
RCANS9	235	-	435
7015			

Rainwater tank collector, requiring no disassembly of downpipes.




Closed tank connection Set 1"

	← mm	↘ mm	↑ mm
RCANS10	235	-	435
7015			

A kit designed for connecting a rainwater tank to a 1" threaded gutter system.

The beauty of water™



Plug

	mm	mm
RPL50	51	11
RPL100	96	11

S429

Plug for the rainwater inspection hole.



Rain collector with tap

	mm	mm	mm
RCANS11	195	120	175

7037

7015

8011

Rainwater harvesting kit from the gutter equipped with a basket filter and an additional valve for winter mode switching (on-off)



Easy Fix Comfort

	mm	mm	mm
RCANS12	235	-	435

7015

Complete basic kit for rainwater tank connection without the necessity of disassembling downpipes.



Rain collector

	mm	mm	mm
RCANS13	238	145	275

7037

7015

8011

Rainwater downpipe filter Efficient rainwater scoop, mounted directly on the downpipe, it filters and redirects water to the tank.



Withdrawal set with hose 3/4"


	mm	mm
RCANS14	2000	22 / 28

Withdrawal set with hose, a hose with a drain tap. Transparent with a delicate blue tint.



Chrom Tap 3/4"

Connection Kit 3/4"



Filter with valve



A valve fitted with a mesh filter, engineered to remove impurities within an internal basket.




Hose valve 1"



Threaded valve - Designed for rainwater collectors without the need for gutter disassembly.

catch rain water for outdoor chores

The beauty of water™




Rain collector with tap



Rainwater harvesting kit from the gutter equipped with a basket filter and an additional valve for winter mode switching (on-off)



Rain collector



Rainwater downpipe filter
Efficient rainwater scoop, mounted directly on the downpipe, it filters and redirects water to the tank.





waterform

RAINDROP FOR BETTER TOMORROW

**Product line dedicated
to environmental protection.**

The rainwater tanks and the essential accessories have been designed with the environmental protection of our planet in mind.

The wide range of products focuses on storing rainwater in your own garden in the most efficient way possible, allowing you to fully independently water your garden with 100% rainwater.

With the Waterform products, watering flowers and vegetables will never be the same again as every drop collected during the rain will make our planet happier whenever there is a draught.



Gubo




- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- temperature changes
- UV radiation
- features 3/4" connections on both the front and back for convenient water tap installation
- the possibility of connecting tanks together using the icans 8 kit



Gubo



- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- temperature changes
- UV radiation
- features 3/4" connections on both the front and back for convenient water tap installation



Gubo





- smooth neutral surface
- appearance of segmented blocks
- made from durable materials
- the material is resistant to damage
- uv radiation
- features 3/4" connections on both the front and back for convenient water tap installation
- 4 locations for holes to connect the tank to the gutter
- 3 threaded holes, each 3/4" in size, for connecting a faucet or garden hose
- 2 threaded bottom holes, each 3/4" in size, for overflow or complete drainage connection










Multitank

				
	mm	mm	mm	
IMU250	790	380	1050	250
S433	422U	429U		

- crafted from durable materials resistant to weathering and UV radiation
- space-saving for gardens
- features 3/4" connections on both the front and back for convenient water tap installation
- includes a side outlet for thorough drainage before frost sets in
- highlights uv and weather resistance
- offers dual perspectives
- designed to be expandable



Multitank

				
	mm	mm	mm	
IMK250	790	380	1050	250
S433	422U	429U		

- crafted from durable materials resistant to weathering and UV radiation
- space-saving for gardens
- features 3/4" connections on both the front and back for convenient water tap installation
- includes a side outlet for thorough drainage before frost sets in
- highlights uv and weather resistance
- offers dual perspectives
- designed to be expandable



350 l
CAPACITY



Tower Brick




IDTB350 575 384 1800 350

7587U S433

- appearance of segmented blocks
- made from durable material
- the material is resistant to damage
- temperature changes
- UV radiation
- the possibility of connecting tanks together using the icans 8 kit

350 l
CAPACITY



Tower Stone




IDTST350 575 384 1800 350

429U S433

- practical rainwater tank with segmented construction
- the front wall features a decorative stone motif
- includes a top opening with a cover
- four points are available to attach the gutter drain tube
- two threaded holes are provided for a tap or quick-release coupling
- the possibility of connecting tanks together using the icans 8 kit

500 l
CAPACITY



Tower Stone




IDTST500 775 583 1300 500

429U S433

400 l
CAPACITY

NEW



Wall Stone



IDWS400 1180 300 1840 400

429U S433

- flat rainwater tank
- for mounting against the building wall
- without texture
- practical rainwater tank with segmented construction
- the front wall features a decorative stone motif.
- two threaded holes are provided for a tap or quick-release coupling



350 l
CAPACITY



Aqua Tower



IDTC350 775 383 1350 350

429U S433

- features a modernist shape, complementing modern house architecture
- includes a top opening with a cover
- provides four points to attach the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

450 l
CAPACITY



Aqua Tower



IDTC450 775 573 1150 450

429U S433

- cubic form enhances the modern architecture of your house and surroundings, adding attractiveness.
- includes a top opening with a cover
- provides four points for attaching the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

650 l
CAPACITY



Aqua Tower



IDTC650 775 573 1650 650

429U S433

- practical cubic shape
- largest capacity available in our product range
- enhances the modern architecture of your house and surroundings, adding attractiveness
- includes a top opening with a cover
- provides four points for attaching the gutter drain tube
- two threaded holes for a tap or quick-release coupling for mounting a garden hose
- the possibility of connecting tanks together using the icans 8 kit

400 l
CAPACITY



Aqua Wall



IDAW400 1180 300 1840 400

429U S433

- flat rainwater tank
- for mounting against the building wall
- without texture
- appearance of segmented blocks
- the material is resistant to damage
- temperature changes





I cans 8
An exceptionally practical and innovative set for connecting water tanks together. The system enables the quick collection of rainwater in two or more tanks with a single gutter connection.





110 l
CAPACITY



200 l
CAPACITY



110 l
CAPACITY



120 l
CAPACITY



Aquabell

IDAB110S	570	570	1045	110

429U S433

base included

- outlet opening for complete drainage before frost period
- all drainage openings pre-drilled
- manufactured using stress-free rotational molding
- a true space-saving solution for your garden
- features 3/4" connections on both the front and back for convenient water tap installation
- smooth neutral surface

Aquabell

IDAB200S	580	580	1270	200

429U S433

base included

Vuelta

IDV110S	396	396	1305	110

429U S433

base included

- upper opening equipped with a removable lockable cover
- practical round shape with grooves
- 2 places for holes to connect the tank to the gutter
- features 3/4" connections on both the front and back for convenient water tap installation
- equipped with a removable, stable base on which the tank can be placed

Tenso

IDT120S	396	396	1305	120

429U S433


base included

- 2 places for holes to connect the tank to the gutter
- 3 Features 3/4" connections on both the front and back for convenient water tap installation
- upper opening equipped with a removable lockable cover
- equipped with a removable, stable base on which the tank can be placed.



250 l
CAPACITY

NEW



WATER TAP
WINTER HOLE COVER

Botaqua




IDB250	650	930	250
--------	-----	-----	-----

440U

- in natural wood rainwater tank structure
- each tank is unique
- surface handcrafted
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- the rainwater tanks botaqua is faithfully modeled after an oak rainwater tank
- the fittings are sourced from bavarian beer barrels, giving the rainwater tank a typically rustic appearance
- the material (high-quality PE) of our rainwater tank is frost-resistant

430 l
CAPACITY

NEW



WATER TAP
WINTER HOLE COVER

Botaqua



IDB430	795	1062	430
--------	-----	------	-----

440U

- in natural wood rainwater tank structure
- each tank is unique
- surface handcrafted
- child-safe lid
- suitable for watering cans due to removable lid
- linkable
- high-quality 3/4" brass connection thread (ig) for the outlet tap
- the rainwater tanks botaqua is faithfully modeled after an oak rainwater tank
- the fittings are sourced from bavarian beer barrels, giving the rainwater tank a typically rustic appearance
- the material (high-quality PE) of our rainwater tank is frost-resistant



WOOD EFFECT FINISH

210 l
CAPACITY



Baby Aquacan

W	←	↙	↑	Ⓜ
	mm	mm	mm	
ICAN210	596	560	1183	210
R736	S443	S433		

- the smallest rainwater tank in the collection
- inspired by antique functional art.
- both functional and aesthetically appealing
- equipped with a lid featuring a locking mechanism
- comes with an insert for planting plants.
- two points are available for attaching the gutter drain tube
- two threaded holes are provided for a tap or quick-release coupling to mount a garden hose

360 l
CAPACITY



Aquacan

W	←	↙	↑	Ⓜ
	mm	mm	mm	
ICAN360	800	720	1200	360
R736	S443	S433		

- shaped by inspiration from ancient greek applied arts.
- designed to be highly functional and aesthetically pleasing
- equipped with an upper opening and lid for convenient access.
- includes an insert for planting plants
- two mounting areas are provided for attaching the gutter drain pipe.
- two threaded holes are available for taps or quick-disconnect garden hoses.

440 l
CAPACITY



Aquacan

W	←	↙	↑	Ⓜ
	mm	mm	mm	
ICAN440	820	760	1280	440
R736	S443	S433		

- boasts the largest capacity among the rainwater tanks in the collection.
- inspired by antique functional art.
- blending functionality with aesthetic appeal
- equipped with an upper opening and lid for convenient access.
- includes an insert for planting plants
- two mounting areas are provided for attaching the gutter drain pipe
- two threaded holes are available for taps or quick-disconnect garden hoses



240 l
CAPACITY



WATER TAP
WINTER HOLE COVER

Maze

	mm	mm	
IDMZ240	593	1140	240
S443	S433		

- features an enhanced surface design with gently undulating horizontal grooves
- combines decoration and functionality
- equipped with a locking lid
- two attachment points available for connecting the gutter drain tube
- two threaded holes provided for a tap or quick-release coupling to mount a garden hose
- possibility of connecting tanks together using the icans8 set

230 l
CAPACITY



WATER TAP
WINTER HOLE COVER

Tube

	mm	mm	
IDM230	593	1095	230
R736	S433		

- 2 locations for holes to connect the tank to the gutter
- features an enhanced surface design with gently undulating horizontal grooves
- combining decoration and functionality
- equipped with a lid featuring a locking mechanism
- possibility of connecting tanks together using the icans8 set



optionally
insert for flowers



Maze Cup

	mm	mm	
IPDM600	593	192	-
R736	S443	S433	


- Maze Cap can be used as a rainwater tank insert
- it can also serve as a flowerpot, ideal for seedling plants
- the product serves as a flowerpot
- the product can be used independently or as an insert for a water tank



310 l
CAPACITY




Canyon




S433

- drawing inspiration from the ancient amphora design
- features colors and textures resembling stone for added aesthetic appeal.
- equipped with an upper opening and lid
- two threaded holes provided for taps or quick-disconnect garden hoses
- a suitable choice for environmentally conscious individuals seeking to live in harmony with nature
- the possibility of connecting tanks together using the icans8 kit

270 l
CAPACITY



Wallycan




R736


S433

- original shape and a clay-like texture reminiscent of ancient greek applied arts.
- it adds beauty to any garden
- equipped with an upper opening and lid
- two mounting areas provided for the gutter drain pipe
- two threaded holes available for taps or quick-disconnect garden hoses

265 l
CAPACITY



Woodcan




R232


S411

- inspired by traditional wooden rainwater tanks
- it features a top opening with a cover
- single threaded hole for a tap or garden hose with a quick release coupling
- offers a practical solution for water storage
- the possibility of connecting tanks together using the icans 8 kit

210 l
CAPACITY



Raincan



S411





- a trusted rainwater tank for saving water, utilized in garden plant watering and environmental care.
- equipped with an upper opening and lid
- its undeniable advantage lies in its simple
- modern design
- the possibility of connecting tanks together using the icans 8 kit



160 l
CAPACITY



Smooth

			
	mm	mm	
IDSM160	600	878	160
429U	S433		

- tank features a practical and simple form
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children.
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

210 l
CAPACITY



Smooth





			
	mm	mm	
IDSM210	753	865	210
429U	S433	G851	

- universal shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit

200 l
CAPACITY



Smooth

			
	mm	mm	
IDSM200	600	1066	200
429U	S433		

- slim shape
- seamlessly blending into any garden style
- walls allow flexibility in drilling drain holes
- lid is equipped with additional protection against unwanted opening, especially by children
- consider additional waterform accessories for optimal water utilization
- the possibility of connecting tanks together using the icans 8 kit





260 l
CAPACITY

Peruno

IDPE260	720 mm	970 mm	260
429U	S433		

- modern form that complements house and garden architecture
- the ability to drill drain holes anywhere adds versatility
- the lid provides additional protection against unwanted opening, particularly by children
- consider additional equipment for maximizing water potential



260 l
CAPACITY

3in1
STANDARD SET

Connection Set & Base included



Full Filter Connection Set No. 7



Peruno Set

IDPE260S	720 mm	1260 mm	260
429U	S433		

- modern form that complements house and garden architecture
- the ability to drill drain holes anywhere adds versatility
- the lid provides additional protection against unwanted opening, particularly by children
- equipped with a complete water supply and drainage set
- gutter filter purifies rainwater
- a stable base facilitates easy pouring of water into a watering can or bucket



set contains:



5 psc



Modular Basecan Set



IBAS55 200 200 430

S411

10 psc



B - type connectors

10 psc



C - type connectors

10 psc



D - type connectors



option:

B
Ø 35,7 - 44,5 cm



option:

C
Ø 42,0 - 48,6 cm



option:

D
Ø 45,0 - 51,4 cm

IBAS55

base for rainwater tank

the set allows for the creation of one base with three diameters

bases with a diameter of 35,7 cm - 44,5 cm, 42 cm-48,6 cm and 45 cm- 51,4 cm





option:

E
Ø 47,0 - 55,6 cm



E - type connectors



12 psc

option:

F
Ø 60,0 - 67,3 cm



F - type connectors



14 psc

IBAS6S
base for rainwater tank
the set allows for the creation of one base with two diameters
bases with a diameter of 47 cm - 55,6 cm and 60 cm - 67,3 cm

set contains:



NEW

7 psc



step 1.



step 2.



Modular Basecan Set



IBAS6S 200 200 530

S411



Basecan




 mm mm

IBAS	512	230
S433		

complete your set with rainwater tanks:

IDMZ240, IDM230, ICAN210, ICAN360, ION310, IDWA270, IDWO265, IDRA210, IDSM160, IDSM200, IDSM210,

Basecan




 mm mm

IBAS2	608	310
S433		

complete your set with rainwater tanks:

IDMZ240, IDM230, ICAN210, ICAN360, ICAN440, ION310, IDWA270, IDWO265, IDRA210, IDSM160, IDSM200, IDSM210, IDPE260

Tanker





 mm mm mm

ITWTAN	240	240	900
7541U		S433	

Tanker water supply point with a tap allows the user to draw water in the garden easily and conveniently.



Accessories for Rainwater Tank Collection

Cantap




mm mm mm

ITAP1 150 40 160

S411

874C

ITAP1 – Tap to discharge water collected in the rainwater tank. The set consists of 3 elements: tap, gasket, nut. Fitted with an additional gasket and a nut, which makes it compatible with all rainwater tanks. The end of the tap is compatible with the garden hose.



NEW

Icanbelt



ICANB1 120 20 160

S411

ICANBELT – Strap securing the rainwater tank

1. Mounting the strip on the upper wall of the rainwater tank.
2. Mounting the strip to the side wall of the rainwater tank.



Accessories for Rainwater Tank Collection

Cantap



ITAP2 150 40 160

S411

874C

ITAP2 – Tap to discharge water collected in the rainwater tank. The set consists of 3 elements: tap, gasket, nut. Fitted with an additional gasket and a nut, which makes it compatible with all rainwater tanks.



Accessories for Rainwater Tank Collection

Tap



ITAP3 150 40 160

silver

gold

ITAP3 – Metal tap to discharge water collected in the rainwater tank. The set consists of 3 elements: metal tap, end connection, connection nozzle.



Connection Set No. 1



Icanset 1



The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Accessories Set No. 3



Icanset 3



The accessories are suitable for ARVĚS products

The accessories are suitable for Waterform products



Accessories Set No. 4



Icanset 4



The accessories are suitable for ARVĚS products


The accessories are suitable for Waterform products



Water Dispenser Connection Set No. 5



Icanset 5



The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Connection Set No. 6



Icanset 6



The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Full Filter Connection Set No. 7



Icanset 7

	→	↗	↓
	mm	mm	mm
ICANS7	400	70	290

The accessories are suitable for ARVĚS products

The accessories are suitable for Waterform products



Connection Set No. 8



Icanset 8

	→	↗	↓
	mm	mm	mm
ICANS8	300	50	370

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Connecting Outer Filter



Outer Filter

	→	↗	↓
	mm	mm	mm
IFILZ	180	70	210

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Connection Gutter Filter



Gutter Filter set

	→	↗	↓
	mm	mm	mm
IFILWS	300	120	360

The connection is suitable for ARVĚS products

The connection is suitable for Waterform products



Gutter Filter



Gutter Filter

	→	↗	↓
	mm	mm	mm
IFILW1	300	120	360

universal filter for all gutter types
ø 76 - 112 mm



cover with planting possibility




tap

quick - lock couplings



selected models designed with space to hang the hose back



universal filter for all gutter types



wall mountable hanger




flexible hose with watering tip



basecan

catch rain water for outdoor chores




Connection Gutter Filter




Gutter Filter

universal filter
for all gutter
types



Connecting Outer Filter



set contains 6 elements



Connection Set No. 1

Icanset 1



ICANS1 315 50 280

ICANS1 – Connection system designed to collect and transfer water to the rainwater tank. The set includes 6 elements: holesaw; reducer; hose; water catcher. Versatile product, its simple design ensures quick installation and easy access without much interference with the gutter. Product compatible with the IFILZ external filter.



set contains 5 elements



Accessories Set No. 3

Icanset 3



ICANS3 180 50 230

ICANS3 – Rainwater supply and discharge system. The tap is provided with an additional gasket and a nut, which makes it compatible with all Waterform rainwater tanks. The set includes 5 elements: reducer; water catcher; tap.



set contains 5 elements



Accessories Set No. 4

Icanset 4



ICANS4 180 45 230

ICANS4 – System to discharge water collected in the rainwater tank. The set includes 5 elements: tap; universal connectors; spout; hanger. The spout is compatible with the MAZE; TUBE; SMOOTH; PERUNO tanks. The tap is fitted with an additional gasket and a nut, which makes it compatible with all Waterform rainwater tanks.



set contains 5 elements



Water Dispenser Connection Set No. 5

Icanset 5



ICANS5 300 40 370

ICANS5 – System to discharge water collected in the rainwater tank. The set includes 5 elements: tap; garden hose connector; hose; spout; hanger.



set contains 6 elements



Connection Set No. 6

Icanset 6



ICANS6 300 45 370

ICANS6 – Connection system designed to collect and transfer water to the rainwater tank. The set consists of 6 elements: holesaw; reducer; garden hose; water catcher. Very versatile product, its simple design ensures quick installation and easy access without much interference with the gutter.



set contains 13 elements



Full Filter Connection Set No. 7

Icanset 7



ICANS7 400 70 290

ICANS7 – System to supply and discharge water collected in the tank. The set consists of 13 elements: holesaw; tap; universal connectors; garden hose; spout; hanger; reducer; hose; external filter; catcher. The set is enriched with an external filter to filter water entering the tank. Complete and versatile set, simple design ensures quick installation.



set contains 4 elements



Connection Set No. 8

Icanset 8



mm mm mm

ICANS8 300 50 370

ICANS8 – Connection system designed to distribute water from tank A to tank B. The set consists of 4 elements: hosesaw; two connectors; hose. Very versatile product, its simple design ensures quick installation.



set contains 3 elements



Connecting Outer Filter

Outer Filter



IFILZ 180 70 210

IFILZ – External filter designed to filter water entering the rainwater tank. The set consists of 3 elements: lid; filter; external housing. Product compatible with the ICANS1 set. The filter is installed between the water catcher and the reducer.



set contains 8 elements



Connection Gutter Filter

Gutter Filter

set



mm mm mm

IFILWS 300 120 360

IFILW S – Gutter filter additionally fitted with a system to collect and transfer the water, designed to filter and supply purified water to the rainwater tank. The set consists of 8 elements: external housing; large internal filter; small internal filter. water catcher; reducer; hose. Versatile product, its simple design ensures quick installation and easy access.



set contains 4 elements



Gutter Filter


Gutter Filter



IFILW1 300 120 360

IFILW 1 – Gutter filter designed to filter out contaminants that get into the gutter to prevent them from clogging. The set consists of 4 elements: external housing; large internal filter; small internal filter. Versatile product, its simple design provides quick installation and easy access.





underground rainwater tank

The **UNGROUND R LINE** rainwater tank series is dedicated to collecting, storing and then distributing rainwater. It is an optimal solution for home users to irrigate vegetation. Rainwater can also be used for other activities and chores when running a household.

Our tanks are made in rotomoulding technology, which ensures their complete tightness and durability. The material used for their production is HDPE with a high content of recycled material, which makes them environmentally friendly.

The functionality and durability of our rainwater tanks have been certified by the Institute of Technology and Life Sciences.

Its durability did not prevent it from being low in weight, which is a great advantage during their assembly. Each of the tanks is equipped with an inspection hole and an assembly hatch. Specially profiled bottom allows the installation of tanks in areas with the possibility of high groundwater.

We offer capacities from 1,000 to 7,000 litres. Our rainwater tanks, if necessary, can be equipped with the following elements:

- absorbing well
- drainage tunnel
- leaf separator
- extension for the rainwater tank
- irrigation pump



RAINWATER HARVESTING NEW



waterform

RAINDROP FOR BETTER TOMORROW

1000 |
CAPACITY



Unground R-1000

	mm	mm	mm	mm	kg	pcs	
RUT1000	1850	900	1190	1000	~50	~30	Light Grey
RUT1000C	1850	900	1190	1000	~50	~30	Dark Grey

2000 |
CAPACITY



Unground R-2000

	mm	mm	mm	mm	kg	pcs	
RUT2000	2200	1200	1490	2000	~85	~24	Light Grey
RUT2000C	2200	1200	1490	2000	~85	~24	Dark Grey

3000 |
CAPACITY



Unground R-3000

	mm	mm	mm	mm	kg	pcs	
RUT3000	2400	1370	1640	3000	~110	~10	Light Grey
RUT3000C	2400	1370	1640	3000	~110	~10	Dark Grey

The entire tank is reinforced with sturdy vertical ribs, and the rounded bottoms are additionally strengthened with a horizontal rib. Each wall of the tank has two carrying handles, and the lower part has slots to insert the forks of a forklift truck. Two round inspection hatches with extension rings and covers are located on the top of the tank. Mounting the cover to the tank with 4 mounting screws prevents direct access to the tank. A 110 mm diameter seal-mounted PVC supply pipe is fixed to the smaller 400 mm diameter inlet extension ring of the manhole. Under the extension ring there is also a 290 mm diameter hole with a filter screen. The larger of the manholes is 600 mm in diameter. There is a flat surface in the outlet section of the tank where the drain is installed. It consists of a 110 mm diameter PVC pipe and a siphon mounted to it consisting of three 110 mm PVC elbows and a pipe.

The tank may only be installed in pedestrian areas.

Konstrukcję całego zbiornika wzmocniono solidnymi pionowymi żebrowaniami, a zaokrąglone dno dodatkowo żebrem poziomym. Każda ze ścian zbiornika wyposażona jest w dwa uchwyty transportowe, zaś w jego dolnej części znajdują się wycięcia pod widły wózka widłowego. W górnej części zbiornika znajdują się dwa okrągłe włazy inspekcyjne z nadstawkami i pokrywami. Montaż pokrywy do zbiornika za pomocą 4 wkrętów montażowych uniemożliwia bezpośredni dostęp do zbiornika. W mniejszej wlotowej nadstawce włazu o średnicy 400 mm zamocowana jest rura dopływowa PCV o średnicy 110 mm, osadzona na uszczelce. Pod nadstawką znajduje się również otwór o średnicy 290 mm z siem filtracyjnym. Większy z włazów ma średnicę 600 mm. W części wylotowej zbiornika znajduje się wypłaszczenie, na którym zamontowany jest odpływ. Składa się on z rury PCV o średnicy 110 mm oraz osadzonego na niej syfonu składającego się z 3 kolan PCV 110 mm oraz rury.


Zbiornik może być montowany wyłącznie w miejscach przeznaczonych do ruchu pieszego.



Certificate Attestation

Standard set

All components are complete with rainwater tank












5000 l
CAPACITY



set contains:
zestaw zawiera:



Unground R-5000

							
	mm	mm	mm		kg	pcs	
RUT5000	2400	2400	1480	5000	~200	~10	
RUT5000C	2400	2400	1480	5000	~200	~10	







7000 l
CAPACITY



set contains:
zestaw zawiera:



Unground R-7000

							
	mm	mm	mm		kg	pcs	
RUT7000	3280	2400	1520	7000	~295	~8	
RUT7000C	3280	2400	1520	7000	~295	~8	

The entire tank is reinforced with sturdy vertical ribs. The lower part has slots to insert the forks of a forklift truck. Two round inspection hatches with extension rings and covers are located on the top of the tank. Mounting the cover to the tank with 4 mounting screws prevents direct access to the tank. A 110 mm diameter seal-mounted PVC supply pipe is fixed to the smaller 400 mm diameter inlet extension ring of the manhole. Under the extension ring there is also a 290 mm diameter hole with a filter screen. The larger of the manholes is 600 mm in diameter. There is a flat surface in the outlet section of the tank where the drain is installed. It consists of a 110 mm diameter PVC pipe and a siphon mounted to it consisting of three 110 mm PVC elbows and a pipe. **The tank may only be installed in pedestrian areas.**

Konstrukcję całego zbiornika wzmocniono solidnymi pionowymi żebrowaniami. W jego dolnej części znajdują się wycięcia pod widły wózka widłowego. W górnej części zbiornika znajdują się dwa okrągłe włazy inspekcyjne z nadstawkami i pokrywami. Montaż pokrywy do zbiornika za pomocą 4 wkrętów montażowych uniemożliwia bezpośredni dostęp do zbiornika. W mniejszej wlotowej nadstawce włazu o średnicy 400 mm zamocowana jest rura dopływowa PCV o średnicy 110 mm, osadzona na uszczelce. Pod nadstawką znajduje się również otwór o średnicy 290 mm z sitem filtracyjnym. Większy z włazów ma średnicę 600 mm. W części wylotowej zbiornika znajduje się wypłaszczenie, na którym zamontowany jest odpływ. Składa się on z rury PCV o średnicy 110 mm oraz osadzonego na niej syfonu składającego się z 3 kolan PCV 110 mm oraz rury. **Zbiornik może być montowany wyłącznie w miejscach przeznaczonych do ruchu pieszego.**



Certificate Attestation

Standard set

All components are complete with rainwater tank





Unground R-Drain 150

	mm	mm	mm	mm	kg	pcs
RUR150	1200	760	330	150	~8	30

The construction is reinforced with sturdy ribbing and a horizontal lug (the so-called fin) at the bottom of the base which prevent the tunnel from collapsing when covered with a layer of ground.

The inlet mounting lug on the front and rear wall of the tunnel allows the installation of a sewage pipe to supply waste water and rainwater, or a combination of several tunnels into a single drainage line. A 110 mm diameter drainage pipe should be placed inside the tunnel, which allows the waste water to spread evenly over the entire length of the tunnel. To ensure adequate ground oxygenation under the drainage tunnel, connect the vent pipe to the final tunnel in the drainage line, take it above ground level and close with an aeration head. The tunnels are connected with PVC-U sewer fittings and drainage pipes which are also made of PVC-U.

Konstrukcja wzmocniona solidnym żebrowaniem oraz poziomy występ (tzw. pletwa) w dolnej części podstawy zapobiegają zapadaniu się tunelu po przykryciu go warstwą gruntu.

Wlotowy występ montażowy na przedniej i tylnej ścianie tunelu umożliwia montaż rury kanalizacyjnej, doprowadzającej wody opadowe lub połączenie kilku tuneli w jeden ciąg drenarski. Wewnątrz tunelu należy umieścić rurę drenarską o średnicy 110 mm, która umożliwia równomierny rozływ wody na całej długości tunelu. Aby zapewnić odpowiednie natlenienie gruntu pod tunelem rozszczepiającym, należy do ostatniego tunelu w ciągu drenarskim podłączyć za pomocą studzienki zamykającej rurę wywiewną, wyprowadzić ją ponad poziom gruntu i zamknąć grzybkim napowietrzającym. Łączenie tuneli odbywa się za pomocą kształtek kanalizacyjnych wykonanych z PVC-U oraz rur drenarskich również wykonanych z PVC-U.



Unground R-Drain 500

	mm	mm	mm	mm	kg	pcs
RUR500	1200	1200	950	500	~20	5 MAX PAL

The open-bottom absorbing well has 24 markers on its side walls to allow draining holes of up to 76 mm in diameter to be made.

At the top of the well there is a 50 mm diameter chimney to supply air inside the well and a 400 mm diameter inspection hole designed for mounting extension rings.

There are also four mounting lugs on the well's wall to connect the rainwater drain, the waste water supply duct or to combine the absorbing wells into a larger drainage system using a 110 mm or 160 mm drain pipe. The wells are connected with PVC-U sewer fittings.

Studnia chłonna o otwartym dnie posiada na bocznych ściankach 24 znaczniki umożliwiające wykonanie otworów rozszczepiających o średnicy do 76 mm.

W górnej części studni znajduje się kominiek o średnicy 50 mm doprowadzający powietrze do jej wnętrza oraz otwór inspekcyjny o średnicy 400 mm, przygotowany pod montaż nadstawek.

Na ścianie studni znajdują się również cztery występy montażowe, umożliwiające podłączenie odpływu wód deszczowych, lub połączenie studni chłonnych w większy system drenarski,


z wykorzystaniem rury kanalizacyjnej o średnicy 110 mm lub 160 mm.

Łączenie studni odbywa się za pomocą kształtek kanalizacyjnych wykonanych z PVC-U.




Unground R-Drain 1000

	mm	mm	mm	mm	kg	pcs
RUR1000	1400	1400	1250	1000	~40	5 MAX PAL





Unground Cover







						
RUC400		510	510	30	120	~1,23 m
RUC600		710	710	30	60	~1,24 m

Spare parts for tanks and drainage wells. The construction of the cover is reinforced underneath with a ring and 9 lateral ribs. There are four holes on the convex surface for securing the cover to the extension ring with mounting screws which, in turn, prevents direct access to the tank.

Konstrukcję pokrywy wzmocniono od spodu pierścieniem i 9 poprzecznymi żebrowaniami. Na wypukłej powierzchni znajdują się cztery otwory umożliwiające przymocowanie pokrywy do nadstawki za pomocą wkrętów montażowych, co z kolei uniemożliwia bezpośredni dostęp do zbiornika.



Unground Extension





						
RUE400		510	510	210	20	~2,15 m
RUE600		710	710	210		

Spare parts for tanks and drainage wells. The construction of the extension ring is reinforced with horizontal ribs. The side wall has four flat surfaces that allow inlet holes to be drilled and the 110 mm supply pipes and seals to be installed. The bottom edge of the extension ring is the tank mounting flange. The flange at the top of the ring allows the cover to be attached.

Konstrukcję pierścienia nadstawki wzmocniono poziomymi żebrowaniami. Ścianę boczną wyposażono w cztery wypłaszczenia, umożliwiające wywiercenie w nich otworów wlotowych i zainstalowanie rur dopływowych o średnicy 110 mm wraz z uszczelkami. Dolną krawędź nadstawki stanowi kołnierz mocujący do zbiornika. Kołnierz w górnej części nadstawki umożliwia przymocowanie do niej pokrywy. Nadstawkę do zbiornika montuje się przy pomocy wkrętów.




Unground Filter

								
RUF		305	305	240	-	25	150	~1,35m

Basket filter developed to catch small impurities flowing with water from the roof. Made of durable and flexible material. Flexible handle makes it easy to remove the basket from the tank. The filter is designed for the entire collection of Unground R rainwater tanks.

Filtr koszowy wychwytyjący drobne zanieczyszczenia płynące z wodą z dachu. Wykonany z trwałego i elastycznego materiału. Elastyczny uchwyt ułatwia wyjmowanie kosza ze zbiornika. Filtr przeznaczony jest do całej kolekcji zbiorników Unground R.



Pipe R-2000

Unground R-Drain 150



Unground Accessories

Cap

Pipe

Pipe tee



Unground Accessories

	←	↘	↑	📦	📦	📦	📦
	mm	mm	mm	set	pcs	pcs	h
RUA1	510	620	210	1	5	30	~1,92m



Unground Pipe R-1000

	←	↘	↑	set
	mm	mm	mm	set
RUP1000	2000	110	110	4



Unground Pipe R-2000

	←	↘	↑	set
	mm	mm	mm	set
RUP2000	2000	110	110	4



Unground Pipe RD-2000

	←	↘	↑	set
	mm	mm	mm	set
RUD2000	2000	110	110	1

USE OF RAINWATER



●
GARDEN WATERING



●
OVERFLOW





SECONDARY WATER

MAIN TANK

PUMP

CAR, BIKE WASHING

underground rainwater tank

put the plastic barrel
on a firm and stable
surface

DISTRIBUTING RAINWATER





DIY Cable grommet hole




Unground Accessories

Unground R-Drain 150


Unground Pipe RD-2000

RAINWATER HARVESTING



Wszystkie prawa zastrzeżone przez Prosperplast 1 Spółka z o.o., a zawartość nie może być powielana, pobierana, rozpowszechniana, publikowana lub przekazywana w jakiegokolwiek formie i w jakikolwiek sposób, bez uprzedniej pisemnej zgody Prosperplast 1 Spółka z o.o. Niniejszy katalog nie stanowi oferty w rozumieniu obowiązujących przepisów. Za błędy w druku nie odpowiadamy.

All rights are reserved by Prosperplast 1 Spółka z o.o. and content may not be reproduced, downloaded, disseminated, published, or transferred in any form or by any means, except with the prior written permission of Prosperplast 1 Spółka z o.o. This catalogue does not constitute an offer within the meaning of applicable rules. We are not responsible for printing errors.



Contact us



Headquarter, Production & Warehouse

Prosperplast 1 Sp. z o. o.
Wilkowska 968
43-378 Rybarzowice
Poland

tel. +48 33 817 70 03
fax +48 33 817 60 81

biuro@prosperplast.pl
office@prosperplast.pl
www.prosperplast.pl



Office

Prosperplast Deutschland
GmbH
Hopfenstraße 22a
85283 Wolnzach
Germany

tel. +49 8442 9628499
fax +49 8442 9680853

kontakt@prosperplast.de
www.prosperplast.de



Office & Warehouse

Prosperplast s.r.o.
CTPark Ostrava Hrušov
Bohumínská 710/198
711 00 Slezská Ostrava - Hrušov
Czech Republic

tel. +420 553 034 443
mob +420 605 499 544

info@prosperplast.cz
www.prosperplast.cz



Office

Prosperplast Kft.
Tátra u. 5/a, alagsor 2.
1136-H Budapest,
Hungary

tel. +36 30 4095 120
mob +36 30 4095 710

office@prosperplast.
hu
www.prosperplast.hu

ARVĚS®



waterform

RAINDROP FOR BETTER TOMORROW

Prosperplast 1 Sp. z o.o.
Wilkowska 968
43-378 Rybarzowice
Poland

Feel free to place your order via B2B